

GRAVEL OVERLAND

GRAVEL ENDURANCE

ALLESTIMENTI | EQUIPMENTS

51BZ GRAVEL OVERLAND Shimano GRX 825 Di2 24S

51BX GRAVEL OVERLAND Shimano GRX 610 24s

51BE GRAVEL OVERLAND Shimano GRX 610 12s

51BR GRAVEL OVERLAND Shimano GRX 400 Mix 20s

51RP GRAVEL OVERLAND Sram Rival AXS XPLR 13s

51EK GRAVEL OVERLAND Campagnolo EKAR GT 13S



51BZ GRAVEL OVERLAND

Shimano GRX 825 Di2 24S

PESO | WEIGHT 9,200 Kg

COLOR C08 Bianco Marrone, C08 White Brown

RUOTE | WHEELS ITM Fuga 55

PIEGA | HANDLEBAR One GR Carbon Integrated



51BZ GRAVEL OVERLAND

Shimano GRX 825 Di2 24S

PESO | WEIGHT 9,065 Kg

COLOR C59 Antracite Verde Opaco, C59 Matt Anthracite Green

RUOTE | WHEELS Fulcrum Wind 42 (Option)

PIEGA | HANDLEBAR One GR Carbon Integrated



51RP GRAVEL OVERLAND

Sram Rival AXS XPLR 13s

PESO | WEIGHT 8,800 Kg

COLOR C34 Blu Arancio Opaco, COLOR C34 Matt Blue Orange

RUOTE | WHEELS ITM Fuga 40

PIEGA | HANDLEBAR One GR Carbon Integrated

GRAVEL OVERLAND FRAME TECHNICAL FEATURES

TELAIO Gravel Carbonio monoscocca UD disco, passaggi cavi totalmente integrato, perno passante da 12mm, fissaggio reggisella integrato, predisposizione per bike packing. Passaggio ruote fino a 50mm.

MOVIMENTO PRESSFIT 86mm

STERZO Integrato 1" 1/2 sopra e 1" 1/2 sotto

FORCELLA Carbonio monoscocca con canotto conico 1"1/2, peso 450g perno passante da 12mm, predisposizione per bike packing.

REGGISELLA Carbonio monoscocca, con arretramento di 15mm. Peso grezzo 210g.

COLORI C34 Blu Arancio Opaco, C59 Antracite Verde Opaco, C08 Bianco Marrone

PESO Taglia M grezzo 1100g

FRAME Gravel monocoque carbon UD disk, fully integrated routing cables, 12mm thru axle, seatpost with integrated tightening. Fit for bike packing. Tire clearance size up to 50mm.

BB PRESSFIT 86mm


HEADTUBE Integrated 1" 1/2 up and 1" 1/2 down

FORK Monocoque carbon tapered steerer 1"1/2, weight 450g. Thru axle 12mm, fit for bike packing.

SEATPOST Monocoque carbon, seat back 15 mm. Weight raw 210g.

COLORS C34 Matt Blue Orange, C59 Matt Anthracite Green, C08 White Brown

WEIGHT Size M raw 1100g



SIZE	A	B1	C	E	F	S	STACK	REACH
45	425	517	74°	70°	435	110	530	365
49	460	538	73°	71°	435	125	548	370
52	490	551	73°	71°	435	140	562	379
54	505	571	72,5°	71°	435	160	581	388
56	525	588	72,5°	71°	435	185	604	397

ITM

RUOTE | WHEELS

Ogni bici funziona come un sistema, dove ogni parte contribuisce alle prestazioni finali. E' per questo che abbiamo sviluppato per voi due nuove ruote corsa e gravel in collaborazione con ITM, un brand italiano che combina un'elevata innovazione tecnologica ad una lunga esperienza di successo. **FUGA** e **VOLATA**, due modelli realizzati in esclusiva per Bottecchia, studiati e progettati per esaltare le performance delle nostre bici corsa e gravel.

Every bike works as a system, where every part contributes to the final performance. This is why we have developed for you new road and gravel wheels in collaboration with ITM, an Italian brand that combines high technological innovation with a long experience of success. **FUGA** and **VOLATA**, two models created exclusively for Bottecchia, studied and designed to enhance the performance of our road and gravel bikes.

FUGA

Cerchio Fibra di carbonio, altezza 40/55 mm, larghezza cerchio 30mm, larghezza canale interno 23 mm, tubeless ready.

Diametro 700c.

Peso coppia 1560 g 40mm / 1570 g 55mm.

Sistema frenante Freno a disco.

Raggi Acciaio inossidabile Straightpull profilo aero, nippli in alluminio.

Cassetta Disponibile per HG, MS12, XDR.

Mozzo anteriore ITM, cuscinetti a cartuccia sigillati, disk brake, 24 fori, interasse 100 mm, diametro perno 12 mm.

Mozzo posteriore ITM, cuscinetti a cartuccia sigillati, disk brake, 24 fori, interasse 142 mm, diametro perno 12 mm.

Tipologia coperture Tube, tubeless. Da 25 a 65 mm.

***Rim** Carbon fiber, height 40/55 mm, rim width 30 mm, internal channel width 23 mm, tubeless ready.*

***Diameter** 700c.*

***Pair weight** 1560 g 40mm / 1570 g 55mm.*

***Braking system** Disc brake.*

***Spokes** Stainless steel Straightpull aero profile, aluminum nipples.*

***Cassette** Available for HG, MS12, XDR.*

***Front hub** ITM, sealed cartridge bearings, disk brake, 24 holes, 100mm axle spacing, 12mm axle diameter.*

***Rear hub** ITM, sealed cartridge bearings, disk brake, 24 holes, 142mm axle spacing, 12mm axle diameter.*

***Tires** Tube, tubeless. From 25 to 65 mm.*



40 mm



55 mm

VOLATA

Cerchio Fibra di carbonio, altezza 40/55 mm, larghezza cerchio 30mm, larghezza canale interno 23 mm, tubeless ready.

Diametro 700c.

Peso coppia 1360 g 40mm / 1370 g 55mm.

Sistema frenante Freno a disco.

Raggi Carbonio Straightpull profilo aero, nippli in alluminio.

Cassetta Disponibile per HG, MS12, XDR.

Mozzo anteriore ITM, cuscinetti ceramici, disk brake, 18 fori, interasse 100 mm, diametro perno 12 mm.

Mozzo posteriore ITM, cuscinetti ceramici, disk brake, 18 fori, interasse 142 mm, diametro perno 12 mm.

Tipologia coperture Tube, tubeless. Da 25 a 65 mm.

***Rim** Carbon fiber, height 40/55 mm, rim width 30 mm, internal channel width 23 mm, tubeless ready.*

***Diameter** 700c.*

***Pair weight** 1360 g 40mm / 1370 g 55mm.*

***Braking system** Disc brake.*

***Spokes** Straightpull carbon spokes with aero profile, aluminium nipples.*

***Cassette** Available for HG, MS12, XDR.*

***Front hub** ITM, ceramic bearings, disk brake, 18 holes, 100 mm axle spacing, 12 mm axle diameter.*

***Rear hub** ITM, ceramic bearings, disk brake, 18 holes, 142 mm axle spacing, 12 mm axle diameter.*

***Tires** Tube, tubeless. From 25 to 65 mm.*



40 mm



55 mm

ONE CARBON INTEGRATED

PIEGHE | HANDLEBARS

Le pieghe integrate in carbonio **ONE** rappresentano l'evoluzione del cockpit per bici da corsa, gravel e mountain, offrendo un mix perfetto di leggerezza, aerodinamica e rigidità.

The **ONE** integrated carbon handlebars represent the evolution of the cockpit for road, gravel and mountain bikes, offering a perfect mix of lightness, aerodynamics and stiffness.

ONE RR FULL CARBON INTEGRATED *ROAD*

La piega ONE RR full carbon integrata, è progettata per il mondo Pro Road Racing. Attacco e piega sono integrati in un'unica struttura che garantisce massima integrazione dei cavi, con un evidente vantaggio in termini di rigidità, comfort e una aerodinamicità da primato. Peso 430 grammi.

The ONE RR full carbon integrated handlebar is designed for the Pro Road Racing world. The stem and handlebar are integrated into a single structure that guarantees maximum cable integration, with a clear advantage in terms of rigidity, comfort and top-notch aerodynamics. Weight 430 grams.

MISURE | SIZES

40CC x 90 – 100

42CC x 90 – 100 – 110 – 120

44CC x 110 – 120 – 130



ONE GR FULL CARBON INTEGRATED *GRAVEL*

La piega ONE GR full carbon integrata, è progettata per il mondo Gravel Racing. Pensata per la totale integrazione dei cavi, migliora le performance in termini di rigidezza e aerodinamica e assicura un comfort elevato grazie all'apertura ottimizzata di 12° per terreni sconnessi. Peso 390 grammi.

The ONE GR full carbon integrated handlebar is designed for the Gravel Racing world. Designed for total cable integration, it improves performance in terms of stiffness and aerodynamics and ensures high comfort thanks to the optimised 12° opening for rough terrain. Weight 390 grams.

MISURE | SIZES

38CC x 80

40CC x 90

42CC x 100

44CC x 110



ONE MR FULL CARBON INTEGRATED *MTB*

La piega ONE MR full carbon integrata, è progettata per il mondo MTB Racing. Leggerezza e integrazione la rendono perfetta per completare un allestimento professionale. Progettata per garantire maggiore comfort, grande rigidità torsionale e totale affidabilità anche sui percorsi più tecnici. Peso 359 grammi.

The ONE MR full carbon integrated handlebar is designed for the MTB Racing world. Lightness and integration make it perfect to complete a professional setup. Designed to ensure greater comfort, great torsional rigidity and total reliability even on the most technical routes. Weight 359 grams.

MISURE | SIZES

780 x 70

780 x 80



GRAVEL OVERLAND

ALLESTIMENTO EQUIPMENTS	51BZ	51BX	51BE	51BR	51RP	51EK
DESCRIZIONE DESCRIPTION	GRAVEL OVERLAND Shimano GRX 825 Di2 24s	GRAVEL OVERLAND Shimano GRX610 24s	GRAVEL OVERLAND Shimano GRX610 12s	GRAVEL OVERLAND Shimano GRX400 Mix 20s	GRAVEL OVERLAND Sram Rival AXS XPLR 13s	GRAVEL OVERLAND Campagnolo EKAR GT 13s
GRUPPO GEAR	Shimano GRX 825 Di2 24s	Shimano GRX610 24s	Shimano GRX610 12s	Shimano GRX400 Mix 20s	Sram Rival AXS XPLR 13s	Campagnolo EKAR GT 13s
CAMBIO REAR DERAILLEUR	Shimano GRX 825 Di2 24s	Shimano GRX610 24s	Shimano GRX610 12s	Shimano RX400 20s	Sram Rival AXS XPLR 13s	Campagnolo EKAR GT 13s
COMANDI SHIFTER	Shimano GRX 825 Di2 24s	Shimano GRX610 24s	Shimano GRX610 12s	Shimano RX400 20s DISK	Sram Rival AXS XPLR 13s	Campagnolo EKAR GT 13s
GUARNITURA CHAINWHEEL	Shimano GRX 825 Di2 31/48	Shimano GRX610 30/46 24S	Shimano GRX610 1x40	FSA Omega Megaexo Alu 50/34- 46/30	Sram Rival AXS XPLR 42th	Campagnolo EKAR GT 1x40
RUOTE WHEELS	ITM FUGA 40/55/ Ursus TC37	Fulcrum Lite GR	Fulcrum Lite GR	GPM 825/5 alu TLR 30/23 axle12	ITM FUGA 40/55/ Ursus TC37	Fulcrum Rapid Red 500
CASSETTA CASSETTE	Shimano GRX 825 11/36 12s	Shimano GRX 11/36 12s	Shimano GRX 10/51 12s	Shimano GRX 11/34 10s	Sram Rival AXS XPLR 10/46th 13S	Campagnolo EKAR GT 10/48 13s
FRENI BRAKES	Shimano GRX 825 Di2 Disk 160/160	Shimano RX410 DISK 160/160	Shimano RX410 DISK 160/160	Shimano RX400 DISK 160/160	Sram Rival AXS XPLR 160/160	Campagnolo EKAR GT
COPERTURE TIRES	Vittoria Terreno T fold 700x40	Vittoria Terreno T fold 700x40	Vittoria Terreno T fold 700x40	Vittoria Terreno T fold 700x40	Vittoria Terreno T fold 700x40	Vittoria Terreno T fold 700x40
PIEGA HANDLEBAR	ONE GR Full Carbon Integrated	ONE GR Full Carbon Integrated	ONE GR Full Carbon Integrated	ONE GR Full Carbon Integrated	ONE GR Full Carbon Integrated	ONE GR Full Carbon Integrated
PIANTONE STEM	ONE GR Full Carbon Integrated	ONE GR Full Carbon Integrated	ONE GR Full Carbon Integrated	ONE GR Full Carbon Integrated	ONE GR Full Carbon Integrated	ONE GR Full Carbon Integrated
REGGISSELLA SEATPOST	OVERLAND Carbon	OVERLAND Carbon	OVERLAND Carbon	OVERLAND Carbon	OVERLAND Carbon	OVERLAND Carbon
SELLA SADDLE	SAN MARCO short fit wide open	SAN MARCO short fit wide open	SAN MARCO short fit wide open	Selle ITALIA X Model	SAN MARCO short fit wide open	SAN MARCO short fit wide open