

GRAVEL TITAN

GRAVEL ENDURANCE

ALLESTIMENTI | EQUIPMENTS

52BZ GRAVEL TITAN Shimano GRX 825 Di2 24S

52BX GRAVEL TITAN Shimano GRX 610 24s

52BE GRAVEL TITAN Shimano GRX 610 12s

52RE GRAVEL TITAN Sram RED AXS XPLR 13s

52RP GRAVEL TITAN Sram Rival AXS XPLR 13s

52EK GRAVEL TITAN Campagnolo Ekar GT 13s





52BX GRAVEL TITAN

Shimano GRX 610 24s

PESO | WEIGHT 9,700 Kg

COLOR C72 Titanio, C72 Titanium

RUOTE | WHEELS ITM Fuga 40

PIEGA | HANDLEBAR ONE GR Carbon Integrated



ONE GR Carbon Integrated
di serie su tutti gli allestimenti
as standard on all equipments

GRAVEL TITAN FRAME TECHNICAL FEATURES

TELAIO Titanio spazzolato, sezione tubi differenziata, passaggio cavi interno. Predisposizione per bike packing.

MOVIMENTO T47

STERZO Integrato 1" 1/2 sopra e 1" 1/2 sotto

FORCELLA Carbonio monoscocca con cannotto conico 1"1/2, peso 450g perno passante da 12mm, predisposizione per bike packing.

REGGISELLA Carbonio monoscocca Deda RS12.

COLORI C72 Titanio

PESO Taglia M grezzo 1670 g

FRAME Brushed titanium, differentiated pipe section, internal cable passage. Predisposition for bike packing.

BB T47


HEADTUBE Integrated 1" 1/2 up and 1" 1/2 down

FORK Monocoque carbon tapered steerer 1"1/2, weight 450g. Thru axle 12mm, fit for bike packing.

SEATPOST Monocoque carbon, Deda RS12.

COLORS C72 Titanium

WEIGHT Size M raw 1670 g



SIZE	A	B1	C	E	F	S	STACK	REACH
45	425	517	74°	70°	435	110	530	365
49	460	538	73°	71°	435	125	548	370
52	490	551	73°	71°	435	140	562	379
54	505	571	72,5°	71°	435	160	581	388
56	525	588	72,5°	71°	435	185	604	397

ITM

RUOTE | WHEELS

Ogni bici funziona come un sistema, dove ogni parte contribuisce alle prestazioni finali. E' per questo che abbiamo sviluppato per voi due nuove ruote corsa e gravel in collaborazione con ITM, un brand italiano che combina un'elevata innovazione tecnologica ad una lunga esperienza di successo. **FUGA** e **VOLATA**, due modelli realizzati in esclusiva per Bottecchia, studiati e progettati per esaltare le performance delle nostre bici corsa e gravel.

Every bike works as a system, where every part contributes to the final performance. This is why we have developed for you new road and gravel wheels in collaboration with ITM, an Italian brand that combines high technological innovation with a long experience of success. **FUGA** and **VOLATA**, two models created exclusively for Bottecchia, studied and designed to enhance the performance of our road and gravel bikes.

FUGA

Cerchio Fibra di carbonio, altezza 40/55 mm, larghezza cerchio 30mm, larghezza canale interno 23 mm, tubeless ready.

Diametro 700c.

Peso coppia 1560 g 40mm / 1570 g 55mm.

Sistema frenante Freno a disco.

Raggi Acciaio inossidabile Straightpull profilo aero, nippli in alluminio.

Cassetta Disponibile per HG, MS12, XDR.

Mozzo anteriore ITM, cuscinetti a cartuccia sigillati, disk brake, 24 fori, interasse 100 mm, diametro perno 12 mm.

Mozzo posteriore ITM, cuscinetti a cartuccia sigillati, disk brake, 24 fori, interasse 142 mm, diametro perno 12 mm.

Tipologia coperture Tube, tubeless. Da 25 a 65 mm.

***Rim** Carbon fiber, height 40/55 mm, rim width 30 mm, internal channel width 23 mm, tubeless ready.*

***Diameter** 700c.*

***Pair weight** 1560 g 40mm / 1570 g 55mm.*

***Braking system** Disc brake.*

***Spokes** Stainless steel Straightpull aero profile, aluminum nipples.*

***Cassette** Available for HG, MS12, XDR.*

***Front hub** ITM, sealed cartridge bearings, disk brake, 24 holes, 100mm axle spacing, 12mm axle diameter.*

***Rear hub** ITM, sealed cartridge bearings, disk brake, 24 holes, 142mm axle spacing, 12mm axle diameter.*

***Tires** Tube, tubeless. From 25 to 65 mm.*



40 mm



55 mm

VOLATA

Cerchio Fibra di carbonio, altezza 40/55 mm, larghezza cerchio 30mm, larghezza canale interno 23 mm, tubeless ready.

Diametro 700c.

Peso coppia 1360 g 40mm / 1370 g 55mm.

Sistema frenante Freno a disco.

Raggi Carbonio Straightpull profilo aero, nippli in alluminio.

Cassetta Disponibile per HG, MS12, XDR.

Mozzo anteriore ITM, cuscinetti ceramici, disk brake, 18 fori, interasse 100 mm, diametro perno 12 mm.

Mozzo posteriore ITM, cuscinetti ceramici, disk brake, 18 fori, interasse 142 mm, diametro perno 12 mm.

Tipologia coperture Tube, tubeless. Da 25 a 65 mm.

***Rim** Carbon fiber, height 40/55 mm, rim width 30 mm, internal channel width 23 mm, tubeless ready.*

***Diameter** 700c.*

***Pair weight** 1360 g 40mm / 1370 g 55mm.*

***Braking system** Disc brake.*

***Spokes** Straightpull carbon spokes with aero profile, aluminium nipples.*

***Cassette** Available for HG, MS12, XDR.*

***Front hub** ITM, ceramic bearings, disk brake, 18 holes, 100 mm axle spacing, 12 mm axle diameter.*

***Rear hub** ITM, ceramic bearings, disk brake, 18 holes, 142 mm axle spacing, 12 mm axle diameter.*

***Tires** Tube, tubeless. From 25 to 65 mm.*



40 mm



55 mm

ONE CARBON INTEGRATED

PIEGHE | HANDLEBARS

Le pieghe integrate in carbonio **ONE** rappresentano l'evoluzione del cockpit per bici da corsa, gravel e mountain, offrendo un mix perfetto di leggerezza, aerodinamica e rigidità.

The **ONE** integrated carbon handlebars represent the evolution of the cockpit for road, gravel and mountain bikes, offering a perfect mix of lightness, aerodynamics and stiffness.

ONE RR FULL CARBON INTEGRATED *ROAD*

La piega ONE RR full carbon integrata, è progettata per il mondo Pro Road Racing. Attacco e piega sono integrati in un'unica struttura che garantisce massima integrazione dei cavi, con un evidente vantaggio in termini di rigidità, comfort e una aerodinamicità da primato. Peso 430 grammi.

The ONE RR full carbon integrated handlebar is designed for the Pro Road Racing world. The stem and handlebar are integrated into a single structure that guarantees maximum cable integration, with a clear advantage in terms of rigidity, comfort and top-notch aerodynamics. Weight 430 grams.

MISURE | SIZES

40CC x 90 – 100

42CC x 90 – 100 – 110 – 120

44CC x 110 – 120 – 130



ONE GR FULL CARBON INTEGRATED *GRAVEL*

La piega ONE GR full carbon integrata, è progettata per il mondo Gravel Racing. Pensata per la totale integrazione dei cavi, migliora le performance in termini di rigidezza e aerodinamica e assicura un comfort elevato grazie all'apertura ottimizzata di 12° per terreni sconnessi. Peso 390 grammi.

The ONE GR full carbon integrated handlebar is designed for the Gravel Racing world. Designed for total cable integration, it improves performance in terms of stiffness and aerodynamics and ensures high comfort thanks to the optimised 12° opening for rough terrain. Weight 390 grams.

MISURE | SIZES

38CC x 80

40CC x 90

42CC x 100

44CC x 110



ONE MR FULL CARBON INTEGRATED *MTB*

La piega ONE MR full carbon integrata, è progettata per il mondo MTB Racing. Leggerezza e integrazione la rendono perfetta per completare un allestimento professionale. Progettata per garantire maggiore comfort, grande rigidità torsionale e totale affidabilità anche sui percorsi più tecnici. Peso 359 grammi.

The ONE MR full carbon integrated handlebar is designed for the MTB Racing world. Lightness and integration make it perfect to complete a professional setup. Designed to ensure greater comfort, great torsional rigidity and total reliability even on the most technical routes. Weight 359 grams.

MISURE | SIZES

780 x 70

780 x 80



GRAVEL TITAN

ALLESTIMENTO EQUIPMENTS	52RE	52RP	52BZ	52BE	52BX	52EK
DESCRIZIONE DESCRIPTION	GRAVEL TITAN Sram RED AXS XPLR 13s	GRAVEL TITAN Sram RIVAL AXS XPLR 13s	GRAVEL TITAN Shimano GRX 825 Di2 24s	GRAVEL TITAN Shimano GRX 610 12s	GRAVEL TITAN Shimano GRX 610 24s	GRAVEL SL Campagnolo EKAR GT 13s
GRUPPO GEAR	Sram RED AXS XPLR 13s	Sram RIVAL AXS XPLR 13s	Shimano GRX 825 Di2 24s	Shimano GRX610 12s	Shimano GRX610 24s	Campagnolo EKAR GT 13s
CAMBIO REAR DERAILLEUR	Sram RED AXS XPLR 13s	Sram RIVAL AXS XPLR 13s	Shimano GRX 825 Di2 24s	Shimano GRX610 12s	Shimano GRX610 24s	Campagnolo EKAR GT 13s
COMANDI SHIFTER	Sram RED AXS XPLR 13s	Sram RIVAL AXS XPLR 13s	Shimano GRX 825 Di2 24s	Shimano GRX610 12s	Shimano GRX610 24s	Campagnolo EKAR GT 13s
GUARNITURA CHAINWHEEL	Sram RED AXS XPLR 1x46	Sram RIVAL AXS XPLR 1X42	Shimano GRX 825 Di2 31/48	Shimano GRX610-1x40	Shimano GRX610 30/46 24S	Campagnolo EKAR GT 1x40
RUOTE WHEELS	ITM VOLATA 40/55	ITM FUGA 40/55/ Ursus TC37	ITM FUGA 40/55/ Ursus TC37	ITM FUGA 40/55/ Ursus TC37	ITM FUGA 40/55/ Ursus TC37	Ursus TC37
CASSETTA CASSETTE	Sram RED AXS XPLR 10/46	Sram RIVAL AXS XPLR 10/46	Shimano GRX 825 11/36 12s	Shimano GRX 10/51 12s	Shimano GRX 11/36 12s	Campagnolo EKAR GT 10/48 13s
FRENI BRAKES	Sram RED AXS XPLR 160/160	Sram RIVAL AXS XPLR 160/160	Shimano GRX 825 Di2 Disk 160/160	Shimano RX410 DISK 160/160	Shimano RX410 DISK 160/160	Campagnolo EKAR GT
COPERTURE TIRES	Vittoria Terreno T fold 700x40	Vittoria Terreno T fold 700x40	Vittoria Terreno T fold 700x40	Vittoria Terreno T fold 700x40	Vittoria Terreno T fold 700x40	Vittoria Terreno T fold 700x40
PIEGA HANDLEBAR	ONE GR Full Carbon Integrated	ONE GR Full Carbon Integrated	ONE GR Full Carbon Integrated	ONE GR Full Carbon Integrated	ONE GR Full Carbon Integrated	ONE GR Full Carbon Integrated
PIANTONE STEM	ONE GR Full Carbon Integrated	ONE GR Full Carbon Integrated	ONE GR Full Carbon Integrated	ONE GR Full Carbon Integrated	ONE GR Full Carbon Integrated	ONE GR Full Carbon Integrated
REGGISELLA SEATPOST	Deda RS 12mm	Deda RS 12mm	Deda RS 12mm	Deda RS 12mm	Deda RS 12mm	Deda RS 12mm
SELLA SADDLE	SAN MARCO short fit wide open carbon	SAN MARCO short fit wide open	SAN MARCO short fit wide open	SAN MARCO short fit wide open	SAN MARCO short fit wide open	SAN MARCO short fit wide open